



Bedex Forte Injection

Bedex Forte injection combines essential B-vitamins and D-panthenol to address vitamin deficiencies, support nerve regeneration, and promote overall well-being.

Dosage Form

Injection

Route of Administration

Intramuscular/Intravenous

Composition

Each 2 ml contains:

- Vitamin B1 I.P. 10 mg
- Vitamin B2-5 Phosphate I.P. 2 mg
- Vitamin B6 I.P. 2 mg
- Vitamin B12 I.P. 10 mcg
- Niacinamide I.P. 50 mg
- D-Panthenol I.P. 2 mg
- Benzyl Alcohol (preservative) I.P. 1.5% v/v
- Phenol (preservative) I.P. 0.5% w/v
- Water for Injection I.P. q.s.

Indications

Often administered to address vitamin deficiencies, support nerve regeneration, and promote overall well-being.

Storage

Keep in a cool, dry and dark place.

Precautions

As directed by the physician. Pyridoxine can interact with amiodarone, phenobarbital, and phenytoin. Cyanocobalamin can interact with chloramphenicol. Niacinamide can interact with alcohol and allopurinol. Long-term high-dose pyridoxine use is unsafe and may cause nerve problems. Cyanocobalamin should not be used by patients with Leber's disease, as it can seriously harm the optic nerve. Niacinamide can make allergies more severe and may increase the risk of irregular heartbeat in large amounts; use with caution and monitor blood sugar in diabetic patients. D-Panthenol should be avoided in patients with haemophilia, as it may extend bleeding time.

Presentation

10 ml & 30 ml vial

• GET IN TOUCH •

Have a Question
About This Product?

Speak with us for more information.

+91 172 499 1500