

Fiximac-O Tablets

Fiximac-O Tablet combines Cefixime and Ofloxacin to effectively treat a range of bacterial infections, including respiratory, urinary, and gastrointestinal infections. It works by inhibiting bacterial growth and preventing DNA replication.

Dosage Form

Tablet

Route of Administration

Oral

Composition

Each film-coated tablet contains:

- Cefixime (as Trihydrate) I.P. Eq. to Anhydrous Cefixime 200 mg
- Ofloxacin I.P. 200 mg
- Excipients q.s.
- Colour Tartrazine & Titanium Dioxide I.P.

Indications

Fiximac-O Tablet is used for the treatment of patients with typhoid fever and urinary tract infection in adults.

Storage

Protect from light and store below 30°C.

Precautions

Should be used with caution in patients with a history of tendon disorders, seizures, or CNS disorders due to the fluoroquinolone component. Not recommended in patients with known hypersensitivity to cephalosporins or fluoroquinolones. Use with caution in patients with renal impairment; dose adjustment may be required. Avoid concurrent use with antacids, sucralfate, or products containing metal cations, which can reduce absorption.

Presentation

10X1X10 Tablets

• GET IN TOUCH •

Have a Question About This Product?

Speak with us for more information.

+91 172 499 1500