

1 ACNECURE CREAM

Tretinoin Cream U.S.P.

Composition:

Tretinoin U.S.P. 0.025% w/w

In a suitable cream base q.s.

2 ACNECURE CREAM

Tretinoin Cream U.S.P.

Composition:

Tretinoin U.S.P. 0.05% w/w

In a suitable cream base q.s.

**1 BENZYL BENZOATE
APPLICATION I.P.**

Composition:

Benzyl Benzoate I.P. 25% w/v

Suitable Emulsifying Base q.s.

2 BURNCUR CREAM

Acriflavine & Thymol Cream

Composition:

Acriflavine B.P.C. 0.12 gm
1963

Thymol B.P. 5 mg

Suitable Emulsion base to 100 gm

3 BURNCURE CREAM

Acriflavine & Thymol Cream

Composition:

Acriflavine B.P.C. 0.12 gm
1963

Thymol I.P. 5 mg

Suitable Emulsion base to 100 gm

4 BURNEX CREAM

Silver Sulphadiazine &

Chlorhexidine Gluconate Solution

Composition:

Silver Sulphadiazine U.S.P. 1.0% w/w

Chlorhexidine Gluconate Solution U.S.P.

Eq. to Chlorhexidine Gluconate 0.2% w/w

Cream Base q.s.

3 CLOB-GM CREAM
Clobetasol Propionate, Neomycin
& Miconazole Nitrate Cream

Composition:

Clobetasol Propionate	U.S.P.	0.05% w/w
Miconazole Nitrate	I.P.	2.0% w/w
Neomycin Sulphate	I.P.	
Eq. to Neomycin		0.5% w/w
Zinc Sulphate	I.P.	2.0% w/w
Cream Base		q.s.

4 CIPROMAC FC CREAM
Ciprofloxacin, Fluocinolone
Acetonide & Clotrimazole Topical
Cream

Composition:

Ciprofloxacin Hydrochloride	I.P.	
eq. to Ciprofloxacin		0.5% w/w
Fluocinolone Acetonide	I.P.	0.025% w/w
Clotrimazole	I.P.	1.0% w/w
Suitable cream base		q.s.

5 CLOTRIMAZOLE CREAM I.P.

Composition:

Clotrimazole	I.P.	1% w/w
Suitable Cream base		q.s.

6 CLOTRIMAZOLE CREAM I.P.

Composition:

Clotrimazole	I.P.	2% w/w
Suitable Cream base		q.s.

5 DRESS UP CREAM
Neomycin Sulphate Cream U.S.P.

Composition:

Neomycin Sulphate U.S.P. 0.5% w/w

10 DICLOMAC GEL

Diclofenac Gel B.P.

Composition:

Diclofenac Diethylamine B.P. 1.16% w/w

Eq. to Diclofenac Sodium 1.00% w/w

Methyl Salicylate I.P. 10% w/w

Menthol I.P. 5% w/w

Methyl Paraben 0.1% w/w

Propyl Paraben 0.25% w/w

Gel Base q.s.

6 FUNGNIL-B CREAM

Clotrimazole and Beclomethasone Cream

Composition:

Clotrimazole I.P. 1% w/w

Beclomethasone Dipropionate I.P. 0.025% w/w

Preservatives:

Benzyl Alcohol B.P. 1% w/w

Methyl Paraben I.P. 0.15% w/w

Propyl Paraben I.P. 0.05% w/w

Suitable cream base q.s.

12 FOOT GUARD CREAM

Urea, Lactic Acid, Propylene Glycol & Liquid Paraffin Cream

Composition:

Urea I.P. 10% w/w

Lactic Acid I.P. 10% w/w

Propylene Glycol I.P. 10% w/w

Liquid Paraffin I.P. 10% w/w

Cream base q.s.

13 FUNGIZOLE -V CREAM

Metronidazole and Clotrimazole Vaginal Cream

Composition:

Metronidazole I.P. 10% w/w

Clotrimazole I.P. 2% w/w

Preservatives:
Methyl Paraben I.P. 0.2% w/w
Propyl Paraben I.P. 0.1% w/w
In a suitable cream base q.s.

14 FUNGNIL CREAM

Clotrimazole Cream I.P.

Composition:

Clotrimazole I.P. 1% w/w
In a water miscible cream base q.s.

Preservatives:

Methyl Paraben I.P. 0.15% w/w
Propyl Paraben I.P. 0.05% w/w

**16 GLYGESIC FORTE
RHEUMATIC CREAM**

Composition:

Menthol U.S.P. 6% w/w
Methyl Salicylate I.P. 15% w/w
Eucalyptus Oil I.P. 2% w/w
Turpentine Oil I.P. 1.5% w/w
Emulsifying Base q.s.

**7 HEALTHEASE WHITFIELD
OINTMENT**

Whitfield's Ointment B.P.

Composition:

Benzoic Acid B.P. 6.0% w/w
Salicylic Acid B.P. 3.0% w/w
Ointment Base q.s.

8 HEALTHEASE CREAM

Beclomethasone Dipropionate,
Phenylephrine Hydrochloride,
and Lignocaine
Hydrochloride Cream

Composition:

Beclomethasone Dipropionate I.P. 0.025% w/w
Phenylephrine Hydrochloride I.P. 0.10% w/w
Lignocaine Hydrochloride I.P. 2.50% w/w

	Chlorocresol (Preservative)	I.P.	0.10% w/w
	In a suitable cream base		q.s.
17	KETOMAC SHAMPOO		
	Ketoconazole Shampoo 2%		
	Composition:		
	Ketoconazole	B.P./ U.S.P	2.0% w/v
	Suitable Shampoo base		q.s.
9	MEDISALIC OINTMENT		
	Clobetasol Propionate & Salicylic Acid Ointment		
	Composition:		
	Clobetasol Propionate	I.P.	0.05% w/w
	Salicylic Acid	I.P.	3% w/w
	Butylated Hydroxytoluene (As preservative)	I.P.	0.01% w/w
	Suitable Ointment Base		q.s.
10	NEOMYCIN SULPHATE CREAM U.S.P		
	Composition:		
	Neomycin Sulphate	U.S.P.	0.5% w/w
	In a Cream Base		
	Preservatives:		
	Sodium Methylparaben	B.P.	0.2% w/w
	Sodium Propylparaben	B.P.	0.05% w/w
18	NEOFENAC GEL		
	Diclofenac Gel B.P.		
	Composition:		
	Diclofenac Diethylamine	B.P.	1.16%
	Eq. to Diclofenac Sodium		1.0%w/w
19	NEOGESIC RAPID FORTE CREAM		
	Composition:		
	Menthol	U.S.P.	6% w/w
	Methyl Salicylate	B.P.	15% w/w
	Eucalyptus Oil	B.P.	2% w/w

	Turpentine Oil	B.P. 1.5% w/w
	Polyethylene Glycol 4000	U.S.P. 41.5% w/w
	Polyethylene Glycol 400	U.S.P. 34% w/w
20	NEOPOVIDINA CREAM Povidone Iodine Cream Composition:	
	Povidone Iodine	U.S.P. 5% w/w
	Cream Base	q.s.
21	NEOPOVIDINA LOTION Povidone Iodine Topical Solution U.S.P. Composition:	
	Povidone Iodine	U.S.P. 5% w/w
	(Available Iodine 0.5% w/v)	
22	NEOSTEN CREAM Clotrimazole Cream U.S.P. Composition:	
	Clotrimazole	U.S.P. 1% w/w
	Cream Base	q.s.
23	NIMUMAC GEL Nimesulide Gel Each gm contains:	
	Nimesulide	B.P. 10 mg
	In a gel base	q.s.
24	NO SORES GEL Choline Salicylate & Lignocaine HCl Gel Composition:	
	Choline Salicylate Solution	B.P.
	Eq. to Choline Salicylate	8.7% w/w
	Lignocaine Hydrochloride	I.P. 2% w/w
	Benzalkonium Chloride Solution	I.P. 0.01% w/w
	In a pleasant flavoured gel base	q.s.

25 ORTHOMAC GEL

Diclofenac Diethylamine, Linseed Oil, Methyl Salicylate & Menthol Gel

Composition:

Linseed Oil	B.P.	3% w/w
Diclofenac Diethylamine Eq. to Diclofenac Sodium	B.P.	1.0% w/w
Methyl Salicylate	I.P.	10.0% w/w
Menthol	I.P.	5% w/w
Benzyl Alcohol (As Preservative)	B.P.	1% w/v

29 POVIMAC-10 SOLUTION

Povidone Iodine Solution B.P.

Composition:

Povidone Iodine (Available Iodine 1% w/v)	B.P.	10% w/v
---	------	---------

30 POVIDONE IODINE OINTMENT U.S.P.

Composition:

Povidone Iodine (0.5% w/w available iodine)	I.P.	5% w/w
Ointment Base		q.s.

31 POVIMAC OINTMENT

Povidone Iodine Ointment U.S.P.

Composition:

Povidone Iodine (0.5% w/w available iodine)	I.P.	5% w/w
Ointment Base		q.s.

32 POVIMAC SOLUTION

Povidone Iodine Solution I.P.

Composition:

Povidone Iodine (0.5% w/w available iodine)	I.P.	5% w/v
Suitable Aqueous Base		q.s.

35 SCABISIN LOTION

Lindane Lotion U.S.P.

Composition:

Gamma Benzene Hexachloride	I.P.	1% w/v
----------------------------	------	--------

- | | | |
|-----------|---|-----------------|
| | Suitable emulsion base | q.s. |
| 11 | THREECLOTTRIM CREAM
Clotrimazole and Neomycin Sulphate Cream | |
| | Composition: | |
| | Clotrimazole | B.P. 1.0%w/w |
| | Betamethasone Dipropionate | B.P. |
| | Eq. to Betamethasone | 0.05%w/w |
| | Neomycin Sulphate | B.P. 0.5% w/w |
| | Cream base | q.s. |
| 12 | TICIN CREAM
Erythromycin Cream | |
| | Composition: | |
| | Erythromycin | I.P. 3% w/w |
| | Water Miscible Base | q.s. |
| | Colours: Red Oxide of Iron & Titanium Dioxide | I.P. |
| 13 | WINDERM CREAM
Beclomethasone Dipropionate, Clotrimazole & Neomycin Sulphate Cream | |
| | Composition: | |
| | Beclomethasone Dipropionate | B.P. 0.025% w/w |
| | Clotrimazole | B.P. 1.0%w/w |
| | Neomycin Sulphate | B.P. 0.5%w/w |
| | Cream base | q.s. |
| | Preservative: | |
| | Chlorocresol | B.P. 0.1% w/w |
| 14 | BENZYL BENZOATE APPLICATION I.P.
Composition: | |
| | Benzyl Benzoate | I.P. 25% w/v |
| | Suitable Emulsifying Base | q.s. |

15 BURNCUR CREAM

Acriflavine & Thymol Cream

Composition:

Acriflavine	B.P.C. 1963	0.12 gm
Thymol	B.P.	5 mg
Suitable Emulsion base	to	100 gm

16 BURNCURE CREAM

Acriflavine & Thymol Cream

Composition:

Acriflavine	B.P.C. 1963	0.12 gm
Thymol	I.P.	5 mg
Suitable Emulsion base	to	100 gm

17 BURNEX CREAM

Silver Sulphadiazine &
Chlorhexidine Gluconate Solution

Composition:

Silver Sulphadiazine	U.S.P	1.0% w/w
Chlorhexidine Gluconate Solution	U.S.P	
Eq. to Chlorhexidine Gluconate		0.2% w/w
Cream Base		q.s

18 CLOTRIMAZOLE CREAM I.P.

Composition:

Clotrimazole	I.P.	1% w/w
Suitable Cream base		q.s.

19 CLOTRIMAZOLE CREAM I.P.

Composition:

Clotrimazole	I.P.	2% w/w
Suitable Cream base		q.s.

20 DIKLOGEL

Diclofenac Gel B.P.

Composition:

Diclofenac Diethylamine	B.P.	1.16% w/w
Eq. to Diclofenac Sodium		1.00% w/w
In a gel base		q.s.

21 DICLOMAC GEL

Diclofenac Gel B.P.

Composition:

Diclofenac Diethylamine	B.P.	1.16% w/w
Eq. to Diclofenac Sodium		1.00% w/w
Methyl Salicylate	I.P.	10% w/w
Menthol	I.P.	5% w/w
Methyl Paraben		0.1% w/w
Propyl Paraben		0.25% w/w
Gel Base		q.s.

22 FOOT GUARD CREAM

Urea, Lactic Acid, Propylene Glycol & Liquid Paraffin Cream

Composition:

Urea	I.P.	10% w/w
Lactic Acid	I.P.	10% w/w
Propylene Glycol	I.P.	10% w/w
Liquid Paraffin	I.P.	10% w/w
Cream base		q.s.

23 FUNGIZOLE –V CREAM

Metronidazole and Clotrimazole Vaginal Cream

Composition:

Metronidazole	I.P.	10% w/w
Clotrimazole	I.P.	2% w/w
Preservatives:		
Methyl Paraben	I.P.	0.2% w/w
Propyl Paraben	I.P.	0.1% w/w
In a suitable cream base		q.s.

24 FUNGNIL CREAM

Clotrimazole Cream I.P.

Composition:

Clotrimazole	I.P.	1% w/w
In a water miscible cream base		q.s.
Preservatives:		
Methyl Paraben	I.P.	0.15% w/w
Propyl Paraben	I.P.	0.05% w/w

25 FUNGNIL POWDER

Chlorphenesin & Zinc oxide
Powder

Composition:

Chlorphenesin	I.P. 85 1% w/w
Zinc Oxide	B.P. 16% w/w
Starch	B.P. 51% w/w
Talc Purified	B.P. q.s.

**26 GLYGESIC FORTE
RHEUMATIC CREAM**

Composition:

Menthol	U.S.P. 6% w/w
Methyl Salicylate	I.P. 15% w/w
Eucalyptus Oil	I.P. 2% w/w
Turpentine Oil	I.P. 1.5% w/w
Emulsifying Base	q.s.

27 KETOMAC SHAMPOO

Ketoconazole Shampoo 2%

Composition:

Ketoconazole	B.P./ U.S.P. 2.0% w/v
Suitable Shampoo base	q.s.

28 NEOFENAC GEL

Diclofenac Gel B.P.

Composition:

Diclofenac Diethylamine	B.P. 1.16%
Eq. to Diclofenac Sodium	1.0%w/w

**29 NEOGESIC RAPID FORTE
CREAM**

Composition:

Menthol	U.S.P. 6% w/w
Methyl Salicylate	B.P. 15% w/w
Eucalyptus Oil	B.P. 2% w/w
Turpentine Oil	B.P. 1.5% w/w
Polyethylene Glycol 4000	U.S.P. 41.5% w/w

	Polyethylene Glycol 400	U.S.P. 34% w/w
30	NEOPOVIDINA CREAM Povidone Iodine Cream Composition:	
	Povidone Iodine	U.S.P. 5% w/w
	Cream Base	q.s.
31	NEOPOVIDINA LOTION Povidone Iodine Topical Solution U.S.P. Composition:	
	Povidone Iodine	U.S.P. 5% w/w
	(Available Iodine 0.5% w/v)	
32	NEOSTEN CREAM Clotrimazole Cream U.S.P. Composition:	
	Clotrimazole	U.S.P. 1% w/w
	Cream Base	q.s.
33	NIMUMAC GEL Nimesulide Gel Each gm contains:	
	Nimesulide	B.P. 10 mg
	In a gel base	q.s.
34	NO SORES GEL Choline Salicylate & Lignocaine HCl Gel Composition:	
	Choline Salicylate Solution	B.P.
	Eq. to Choline Salicylate	8.7% w/w
	Lignocaine Hydrochloride	I.P. 2% w/w
	Benzalkonium Chloride Solution	I.P. 0.01% w/w
	In a pleasant flavoured gel base	q.s.
35	ORTHOMAC GEL	

Diclofenac Diethylamine, Linseed Oil, Methyl Salicylate & Menthol Gel

Composition:

Linseed Oil	B.P.	3% w/w
Diclofenac Diethylamine Eq. to Diclofenac Sodium	B.P.	1.0% w/w
Methyl Salicylate	I.P.	10.0% w/w
Menthol	I.P.	5% w/w
Benzyl Alcohol (As Preservative)	B.P.	1% w/v

36 POVIMAC-10 SOLUTION

Povidone Iodine Solution B.P.

Composition:

Povidone Iodine (Available Iodine 1% w/v)	B.P.	10% w/v
---	------	---------

37 POVIDONE IODINE OINTMENT U.S.P.

Composition:

Povidone Iodine (0.5% w/w available iodine)	I.P.	5% w/w
Ointment Base		q.s.

38 POVIMAC OINTMENT

Povidone Iodine Ointment U.S.P.

Composition:

Povidone Iodine (0.5% w/w available iodine)	I.P.	5% w/w
Ointment Base		q.s.

39 POVIMAC SOLUTION

Povidone Iodine Solution I.P.

Composition:

Povidone Iodine (0.5% w/w available iodine)	I.P.	5% w/v
Suitable Aqueous Base		q.s.

40 SCABISIN LOTION

Lindane Lotion U.S.P.

Composition:

Gamma Benzene Hexachloride	I.P.	1% w/v
Suitable emulsion base		q.s.