

1 ADB MIN SYRUP

Multivitamin with Minerals Syrup

Each 5 ml contains:

Vitamin A (As Palmitate)	I.P.	1600 I.U.
Vitamin D ₃	I.P.	200 I.U.
Thiamine Hydrochloride (Vitamin B ₁)	I.P.	1.5 mg
Riboflavin (Vitamin B ₂)	I.P.	1.5 mg
Pyridoxine Hydrochloride	I.P.	1 mg
Cyanocobalamine	I.P.	1 mcg
Nicotinamide	I.P.	10 mg
D-Panthenol	I.P.	2.5 mg
Iron as (Ferrous Gluconate)	I.P.	3 mg
Zinc Sulphate	I.P.	44 mg
Ξ (Elemental Zinc 10 mg)		
Flavoured Syrup Base		q.s.
For Prophylactic use		

2 AZIMAC DRY SYRUP

Azithromycin For Oral Suspension U.S.P.

Each 5 ml contains (After constitution):

Azithromycin Dihydrate	U.S.P.	200 mg
Eq. to Azithromycin Anhydrous		

3 B-COLEX SYRUP

Vitamin B-Complex Syrup

Each 5 ml contains:

Vitamin B ₁	I.P.	5 mg
Vitamin B ₂ -5 Phosphate Sodium	I.P.	
Eq. to Vitamin B ₂	I.P.	2.5 mg
Vitamin B ₆	I.P.	1.5 mg
Vitamin B ₁₂	I.P.	2.5 mcg
Nicotinamide	I.P.	25 mg
D-Panthenol	I.P.	2.5 mg
Flavoured Syrup Base		q.s.
Colour: Carmoisine		
For Prophylactic Use		

4 **BABYVIT DROPS**

Multivitamin Drops

Each ml contains:

Zinc Sulphate	U.S.P. 11.0 mg
Eq. to 2.5 mg of Elemental Zinc	
Vitamin A Palmitate	B.P. 750 I.U.
Vitamin D ₃	U.S.P. 200 I.U.
Vitamin B ₁	B.P. 0.5 mg
Vitamin B ₂	B.P. 0.5 mg
Nicotinamide	B.P. 5.0 mg
Vitamin B ₆	B.P. 0.5 mg
Inositol	7.5 mg
Choline Chloride	U.S.P. 3.45 mg
Syrup Base	q.s.
For paediatric use	

5 BEDEX-12 SYRUP

Vitamin B-Complex Oral Liquid

Each 5 ml contains:

Thiamine Hydrochloride	I.P.	10 mg
Pyridoxine Hydrochloride	I.P.	3 mg
Cyanocobalamine	I.P.	15 mcg
D-Panthenol	I.P.	5 mg
Lysine Hydrochloride	U.S.P.	150 mg
Flavoured Syrup Base		q.s.
Colour: Carmoisine	I.P.	

6 BECOVITA SYRUP

Vitamin B Complex Syrup

Each 5 ml contains:

Vitamin B ₁	B.P.	5 mg
Vitamin B ₂ -5 Phosphate Sodium	B.P.	
Eq. to Vitamin B ₂		2.5 mg
Vitamin B ₆	B.P.	1.5 mg
Vitamin B ₁₂	B.P.	2.5 mcg
Nicotinamide	B.P.	25 mg
D-Panthenol	U.S.P.	2.5 mg
Ipecac Vinegar 1949	B.P.C.	0.16 ml
Flavoured Syrup Base		q.s.
Colour: Carmoisine		

**7 CHLORAMPHENICOL PALMITATE
FOR ORAL SUSPENSION**

Each 5 ml contains (After constitution):

Chloramphenicol Palmitate	I.P.	
Eq. to Chloramphenicol		125 mg

8 CALFIC SYRUP

Ferrous Gluconate, Calcium Gluconate,
Vitamin B12 & Folic Acid Syrup

Each 15 ml contains:

Ferrous Gluconate	I.P.	300 mg
Calcium Gluconate	I.P.	125 mg
Vitamin B ₁₂	I.P.	10 mcg

Folic Acid	I.P.	2 mg
Sorbitol	I.P.	q.s.
Flavoured Syrupy Base	I.P.	q.s.

Colours: Carmoisine & Erythrosine
For Therapeutic Use

9 D-WORM SUSPENSION
Albendazole Oral Suspension

Composition:

Each 5 ml contains:

Albendazole	B.P.	200 mg
In a flavoured syrup base		q.s.
Colour: Carmoisine		

**10 ERYTHROMYCIN ETHYL SUCCINATE
DRY SYRUP**

Erythromycin Ethylsuccinate for Oral
Suspension U.S.P.

Each 5 ml of suspension (After reconstitution)
contains:

Erythromycin Ethylsuccinate	U.S.P.	
Eq. to Erythromycin base		250 mg
Flavoured Base		q.s.

- 11 ERYTHROMYCIN ETHYL SUCCINATE
DRY SYRUP**
Erythromycin Ethylsuccinate for Oral
Suspension U.S.P.
- | | | |
|-----------------------------|--------|--------|
| Erythromycin Ethylsuccinate | U.S.P. | |
| Eq. to Erythromycin base | | 125 mg |
-
- 12 ERYTHROMYCIN ETHYL SUCCINATE
DRY SYRUP**
Erythromycin Ethylsuccinate for Oral
Suspension U.S.P.
- Each 5 ml of suspension (After reconstitution)
contains:
- | | | |
|-----------------------------|--------|--------|
| Erythromycin Ethylsuccinate | U.S.P. | |
| Eq. to Erythromycin base | | 100 mg |
| Flavoured Base | | q.s. |
-
- 13 ERYTHROMYCIN ESTOLATE ORAL
SUSPENSION U.S.P.**
Each 5 ml contains:
- | | | |
|-----------------------|------|--------|
| Erythromycin Estolate | I.P. | |
| Eq. to Erythromycin | | 125 mg |
| Syrup Base | | q.s. |
- Colour: Sunset Yellow FCF
-
- 14 FIXIMAC DRY SYRUP**
Cefixime for oral suspension U.S.P.
- Each 5 ml contains (After constitution)
- | | | |
|---------------------------|--------|-------|
| Cefixime Trihydrate | U.S.P. | |
| Eq. to Anhydrous Cefixime | | 50 mg |
- Colour: Sunset Yellow
-
- 15 HEMOPLUS DROPS**
Ferric Ammonium Citrate, Vitamin B₆, B₁₂ &
Folic Acid Drops
- Each ml contains:
- | | | |
|-------------------------|------|----------|
| Ferric Ammonium Citrate | I.P. | 150 mg |
| Eq. to Elemental Iron | | 30.75 mg |

Folic Acid	I.P.	0.20 mg
Vitamin B ₁₂	I.P.	5 mcg
Vitamin B ₆	I.P.	1 mg
Flavoured Sorbitol Base		q.s.
Colour: Caramel		
For Paediatric Use		
Dose: 0.5 ml daily for infants less than one year.		
1 ml daily for children above one year.		

16 HEMGLOBIN

Each 5 ml contains:

Proteolysed Liver (Derived from not less than 1.2 g of fresh Liver having vitamin B ₁₂ activity eq. to 0.8 mcg)		200 mg
Peptone		200 mg
Iron and Ammonium Citrate USP (Eq. to 10.67 mg of Elemental Iron)		53.4 mg
Folic Acid BP		0.17 mg
Palatable base		q.s.

17 HEMOPLUS SYRUP

Iron, Vitamin B₁₂ & Folic Acid Syrup

Each 15 ml contains:

Ferric Ammonium Citrate Eq. to Elemental Iron 40 mg	I.P.	200 mg
Cyanocobalamin	I.P.	7.5 mcg
Folic Acid	I.P.	0.5 mg
Zinc Sulphate	I.P.	7.0 mg
Pyridoxine Hydrochloride	I.P.	1.5 mg
Sorbitol Solution	I.P.	750 mg
Flavoured Syrup Base		q.s.
Colour: Erythrosine & Caramel		
For Therapeutic Use		

18 HEMOVIT SYRUP

Iron, Vitamin B₆, B₁₂, Folic Acid & Zinc Sulphate Syrup

Each 15 ml contains:

Ferric Ammonium Citrate	U.S.P.	200 mg
Eq. to Elemental Iron		40 mg
Vitamin B ₁₂	B.P.	7.5 mcg
Folic Acid	B.P.	0.5 mg
Zinc Sulphate	U.S.P.	7.0 mg
Vitamin B ₆	B.P.	1.5 mg
Sorbitol Solution	B.P.	750 mg
Flavoured Syrup Base		q.s.
Colours: Ponceau-4R & Carmoisine		

19 HEMOFORTE SYRUP

Iron with Folic Acid Syrup

Each 15 ml contains:

Iron (III) Hydroxide Polymaltose		
Complex eq.to Elemental Iron		50 mg
Folic Acid	I.P.	0.5 mg
In a flavoured syrup base		q.s.
Colour: Ponceau-4R		
For therapeutic use		

20 IRON AND FOLIC ACID SYRUP

Each 5 ml contains:

Ferrous Sulphate	B.P.	
Eq. to Elemental Iron		100 mg
Folic Acid	B.P.	0.5 mg
Palatable Syrup base		q.s.

21 LYRED SYRUP

Multivitamin with Mineral Syrup

Each 10 ml contains:

Lycopene		1000 mcg
Vitamin A Concentrate (oily form) (As Palmitate)	I.P.	2500 I.U.
Vitamin E Acetate	I.P.	10 I.U.

Ascorbic Acid (Vitamin C)	I.P.	50 mg
Selenium (As Sodium Selenate)		35 mcg
Zinc (As Zinc Gluconate USP)		3 mg
Manganese (As Manganese Gluconate USP)		2 mg
Iodine (As Potassium Iodide IP)		100 mcg
Copper (As Cupric Sulphate USP)		500 mcg
Thiamine Hydrochloride (Vitamin B ₁)	I.P.	2 mg
Riboflavin (Vitamin B ₂)	I.P.	3 mg
Pyridoxine Hydrochloride (Vitamin B ₆)	I.P.	1.5 mg
In a flavoured base		

22 MACSTAT SUSPENSION
Nystatin Oral Suspension B.P.

Each ml contains:

Nystatin	B.P.	100,000 I.U.
Syrup Base		q.s.

23 NEUROMACK SYRUP
Iron, Vitamin B-Complex, Folic Acid & Zinc
Syrup

Composition:

Each 10 ml contains:

Ferrous Gluconate	I.P.	200 mg
Vitamin B ₁₂	I.P.	2.5 mcg
Vitamin B ₁	I.P.	2.25 mg
Vitamin B ₂	I.P.	2.5 mg
Vitamin B ₆	I.P.	1.0 mg
D-Panthenol	I.P.	2.5 mg
Niacinamide	I.P.	22.5 mg
Folic Acid	I.P.	500 mcg
Zinc Sulphate	I.P.	22.5 mg
Flavoured Syrupy base		q.s.

Colours: Caramel, Quiniline Yellow WS, and
Sunset Yellow FCF
For Therapeutic Use

24 PEPTIN DROPS

Vitamin B-Complex with Pepsin Syrup

Each ml contains:

Pepsin (1:3000)	I.P.	5 mg
Thiamine Hydrochloride	I.P.	1 mg
Riboflavin	I.P.	1 mg
Pyridoxine Hydrochloride	I.P.	1 mg
Cyanocobalamin	I.P.	1 mcg
Niacinamide	I.P.	10 mg
Cyproheptadine Hydrochloride	I.P.	0.05 mg
Colours: Caramel and Sunset Yellow		
In a flavoured syrupy base		q.s.
For paediatric use		

25 PHENICOL SYRUP

Chloramphenicol Palmitate Oral Suspension

I.P.

Each 5 ml contains:

Chloramphenicol Palmitate	I.P.	
Eq. to Chloramphenicol		125 mg
In a flavoured Syrupy Base		q.s.

26 PROBEX SYRUP

Vitamin B-Complex, Iron & Protein

Hydrolysate Syrup

Each 15 ml contains:

Protein Hydrolysate		500 mg
Carbohydrates		10 gms
Elemental Iron in the form of ferrous Sulphate		15 mg
I.P.		
Folic Acid	I.P.	0.5 mg
Cyanocobalamin	I.P.	5 mcg
Thiamine Hydrochloride	I.P.	2.5 mg
Riboflavin	I.P.	2.5 mg
Pyridoxine Hydrochloride	I.P.	1.0 mg
Niacinamide	I.P.	25 mg
D-Panthenol	I.P.	3 mg
Flavoured Syrupy Base		q.s.

For Therapeutic Use

27 PROBECO SYRUP

Vitamin B-Complex, Iron & Protein
Hydrolysate Syrup

Each 15 ml contains:

Protein Hydrolysate		500 mg
Carbohydrates		10 gms
Elemental Iron in the form of ferrous Sulphate I.P.		15 mg
Folic Acid	I.P.	0.5 mg
Thiamine Hydrochloride		2.5 mg
Riboflavin	I.P.	2.5 mg
Pyridoxine Hydrochloride	I.P.	1.0 mg
Niacinamide	I.P.	25 mg
D-Panthenol	I.P.	3 mg
Cyanocobalamin	I.P.	5 mcg
Flavoured Syrupy Base		q.s.
Colour: Caramel		

28 STOMACH FIT SYRUP

Bismuth & Belladonna Oral Solution

Each 5 ml contains:

Liquor Bismuth Ammonium Citrate	B.P.C	2.5 ml
Eq. to Bi ₂ O ₃		140 mg
Belladonna Dry Extract	B.P.	9 mg
Thymol	B.P.	0.15 mg
Menthol	B.P.	0.2 mg

**29 SHELL CALCIUM WITH VITAMIN D₃
SUSPENSION**

Each 5 ml contains:

625 mg Calcium Carbonate from an Organic source (oyster shell)		
Eq. to Calcium		250 mg
Vitamin D ₃	I.P.	125 I.U.
Syrup base		q.s.

30 TIMOX-CV ORAL SUSPENSION

Amoxicillin and Potassium Clavulanate Oral
Suspension I.P.

Composition:

Each 5 ml of reconstituted suspension contains:

Amoxicillin Trihydrate	I.P.	
Eq. to Amoxicillin		125 mg
Potassium Clavulanate Diluted	I.P.	
Eq. to Clavulanic Acid		31.5 mg
Colour: Sunset Yellow FCF		

31 TORCAL B12 SYRUPCalcium, Vitamin B₁₂ & Vitamin D₃ Syrup

Each 5 ml contains:

Vitamin D₃ (Cholecalciferol) U.S.P. 200 I.U.Vitamin B₁₂ B.P. 2.5 mcg

Calcium 82 mg

(As Calcium Phosphate) B.P.

In a flavoured Syrupy base q.s.

Colour: Erythrosine

Adult Dose: One teaspoon twice a day

For Therapeutic Use

32 TORVIT DROPSMultivitamin, Zinc Sulphate, Inositol & Choline
Chloride Syrup

Each ml contains:

Zinc Sulphate I.P. 11 mg

(Eq. to 2.5 mg of elemental Zinc)

Vitamin A Palmitate I.P. 750 I.U.

Vitamin D₃ I.P. 200 I.U.Vitamin B₁ I.P. 0.5 mgVitamin B₂ I.P. 0.5 mg

Nicotinamide I.P. 5.0 mg

Vitamin B₆ I.P. 0.5 mg

Inositol 7.5 mg

Choline Chloride U.S.P. 3.45 mg

Flavoured Syrupy Base q.s.

For paediatric use

33 TORZYME SYRUPFungal Diastase, Pepsin with Vitamin B-
Complex Syrup

Each 15 ml contains:

Fungal Diastase (1:2500) I.P. 40 mg

Pepsin I.P. 60 mg

Thiamine Hydrochloride I.P. 4.5 mg

Riboflavin Sodium Phosphate I.P. 4.5 mg

Pyridoxine Hydrochloride I.P. 1.5 mg

Niacinamide I.P. 45 mg

D-Panthenol	I.P.	5 mg
Flavoured syrupy base		q.s.
For Therapeutic use		

34 TIMOX DRY SYRUP

Amoxicillin for Oral Suspension I.P.

Each 5 ml contains (After constitution):

Amoxicillin Trihydrate	I.P.	
Eq. to Amoxicillin		125 mg

35 VINTONE SYRUP

Multivitamin & Multimineral Syrup

Each 15 ml contains:

Vitamin A		2500 I.U.
(As Vitamin A Palmitate)	I.P.	
Thiamine Hydrochloride	I.P.	1.5 mg
Riboflavin Sodium Phosphate	I.P.	
Eq. to Riboflavin		1.7 mg
Pyridoxine Hydrochloride	I.P.	1.5 mg
Vitamin B ₁₂	I.P.	1 mcg
Vitamin C	I.P.	50 mg
Vitamin D ₃	I.P.	200 I.U.
Vitamin E Acetate	I.P.	10 I.U.
Niacinamide	I.P.	20 mg
D-Panthenol	I.P.	5 mg
Biotin	U.S.P	30 mcg
Zinc (As Zinc Gluconate)	U.S.P	3 mg
Iodine (As Potassium Iodide)	I.P.	150 mcg
Iron (As Ferrous Gluconate)	I.P.	9 mg
Manganese (As Manganese Chloride)	U.S.P	2.5 mcg
Chromium (As Chromium Chloride)	U.S.P	25 mcg
Molybdenum (As Sodium Molybdate)	B.P.	25 mcg
Flavoured Syrup Base		q.s.
Colour: Caramel		
For prophylactic use		